



FAG

2320-M

Self-aligning ball bearing

Schaeffler ID:
0190350980000Self-aligning ball bearing 23..-M, solid
brass cage

Technical information

**Main Dimensions & Performance Data**

d	100 mm	Bore diameter
D	215 mm	Outside diameter
B	73 mm	Width
r_{\min}	3 mm	Minimum chamfer dimension
C_r	196.000 N	Basic dynamic load rating, radial
C_{0r}	79.000 N	Basic static load rating, radial
C_{ur}	4.000 N	Fatigue load limit, radial
n_G	4.300 1/min	Limiting speed
n_{gr}	4.350 1/min	Reference speed
	12,559 kg	Weight

Dimensions

D_1	182,7 mm	Shoulder diameter outer ring
$d_{a\min}$	114 mm	Minimum diameter shaft shoulder
d_1	130,8 mm	Shoulder diameter inner ring
$D_{a\max}$	201 mm	Maximum diameter of housing shoulder
$r_{a\max}$	2,5 mm	Maximum fillet radius

Calculation factors

e	0,38	Limiting value of F_a/F_r for the applicability of diff. Values of factors X and Y
Y_1	1,67	Dynamic axial load factor
Y_2	2,59	Dynamic axial load factor
Y_0	1,75	Static axial load factor

Temperature range

T_{\min}	-30 °C	Operating temperature min.
T_{\max}	150 °C	Operating temperature max.