




## Technical data

### 722518 A

Flanged housings 722500

Flanged housing for bearings on adapter sleeve, made of grey cast, for grease lubrication

### VISUAL (S)



### PRODUCT DIMENSIONS

|  |        |
|--|--------|
| Shaft diameter (d)                               | 80 mm  |
| outer diameter cover (D1)                        | 198 mm |
| Housing length (a)                               | 210 mm |
| Housing foot height (c)                          | 25 mm  |
| Bearing center height (h)                        | 105 mm |
| Housing width over covers (l1)                   | 118 mm |
| Mounting hole (or punches) distance (length) (m) | 170 mm |
| Mounting hole diameter (N)                       | 18 mm  |

### PRODUCT DIMENSIONS

|  |           |
|--|-----------|
| <b>Bearing seat diameter (D)</b>       | 160 mm    |
| <b>base to shaft end distance (W2)</b> | 99 mm     |
| <b>Mass</b>                            | 12,5 kg   |
| <b>New Material of Housing</b>         | grey cast |
| <b>Brand</b>                           | SNR       |

### BOLTS

|  |           |
|--|-----------|
| <b>Fixing bolts (G)</b>                | M16       |
| <b>Recommended torque fixing bolts</b> | 150.0 N-m |
| <b>Cover bolts</b>                     | M8x25     |
| <b>Recommended torque cover bolts</b>  | 17.0 N-m  |

### ASSOCIATED COMPONENTS - OPTION 1

|                         |            |
|-------------------------|------------|
| <b>Bearing</b>          | 1218 K C3  |
| <b>Adapter sleeve</b>   | H218       |
| <b>Fixing ring (2x)</b> | FR160x10x5 |

### ASSOCIATED COMPONENTS - OPTION 2

|                         |            |
|-------------------------|------------|
| <b>Bearing</b>          | 2218 K C3  |
| <b>Adapter sleeve</b>   | H318       |
| <b>Fixing ring (1x)</b> | FR160x10x5 |

### ASSOCIATED COMPONENTS - OPTION 3

|                         |            |
|-------------------------|------------|
| <b>Bearing</b>          | 22218 K    |
| <b>Adapter sleeve</b>   | H318       |
| <b>Fixing ring (1x)</b> | FR160x10x5 |

**ASSOCIATED COMPONENTS - GENERAL**

**feltstrip**

FS 9 x 7,5 x 315