

FAG

## NJ2313-E-XL-TVP2




Cylindrical roller bearing

Schaeffler ID:  
0167356250000Cylindrical roller bearing NJ..-E-XL-TVP2,  
with cage, single row, semi-locating  
bearing, 2 ribs on outer ring, 1 rib on inner  
ring, type NJ

X-life

## Technical information

## Main Dimensions &amp; Performance Data



d	65 mm	Bore diameter
D	140 mm	Outside diameter
B	48 mm	Width
C <sub>r</sub>	295.000 N	Basic dynamic load rating, radial
C <sub>0r</sub>	285.000 N	Basic static load rating, radial
C <sub>ur</sub>	54.000 N	Fatigue load limit, radial
n <sub>G</sub>	6.800 1/min	Limiting speed
n <sub>gr</sub>	4.000 1/min	Reference speed
	3,33 kg	Weight

## Dimensions

d <sub>a min</sub>	77 mm	Minimum diameter shaft shoulder
r <sub>min</sub>	2,1 mm	Minimum chamfer dimension
d <sub>a max</sub>	81 mm	Maximum diameter of shaft shoulder
r <sub>1 min</sub>	2,1 mm	Minimum chamfer dimension
s	4 mm	Axial displacement
D <sub>a max</sub>	128 mm	Maximum diameter of housing shoulder
E	124,5 mm	Raceway diameter outer ring
F	82,5 mm	Raceway diameter inner ring
D <sub>1 min</sub>	118,6 mm	Minimum rib diameter outer ring
d <sub>c min</sub>	93 mm	Minimum shaft shoulder
d <sub>1</sub>	90,5 mm	Maximum rib diameter inner ring
r <sub>a max</sub>	2,1 mm	Maximum recess radius

## Additional information

HJ2313-E	L-washer
----------	----------

## Temperature range

T <sub>min</sub>	-30 °C	Operating temperature min.
T <sub>max</sub>	120 °C	Operating temperature max.

